CHICK Respirator

(An organic remedy for any respiratory tract infection)

Indication: Organic remedy for respiratory tract infection for chicken only.

Benefits:

- Helps to control chronic respiratory diseases of chicken.
- Helps to keep breathing tract free from mucous and soothes the respiratory tract.
- Acts as anti-inflammatory of respiratory tract.
- Helps to cure cough, sneezing, difficulty breathing, fast breathing and open-mouth breathing etc.
- Helps to prevent wheezy or gurgling breathing sounds
- Extremely safe and have no side effect.
- No requirement to use of any antibiotics.

Dosage:

- ✓ If the respiratory tract infections are not fully controlled by using of SUBITO PLUS within 12-24 hours then one tea spoon of powder should be mixed with 2-3 litre of mineral water and should be provided for 1000 birds in poultry drinkers at least two times (morning and evening) in a day for two days. Remaining medicine could be used as per direction of a physician.

Precautions:

- Medicine should be used within one month after opening the cap.
- Store in a dry place at a room temperature and keep distant from children.

Organic Research Food Products Ltd.
Pabna, Bangladesh

চিক রেসপিরেটর

(শ্বাস যন্ত্রের যে কোনো সংক্রামনের একটি জৈব প্রতিকারক)

কার্যকারিতা: শুধুমাত্র মুরগীর শ্বাস যন্ত্রের যে কোনো সংক্রামন নিরাময়ের একটি জৈব প্রতিকারক।

উপকারিতা:

- মুরগীর শ্বাস যন্ত্রের পুরাতন রোগ নিয়ন্ত্রন করতে সহায়তা করে।
- শ্বাস নালীকে শ্লেষ্মা মুক্ত করতে, শ্বাস প্রশ্বাসের পথ সুগম করতে সহায়তা করে।
- শ্বাস যন্ত্রের প্রদাহ বিরোধী হিসাবে কাজ করে।
- কাশি, হাঁচি, শ্বাস কষ্ট, দ্রুত শ্বাস ফেলা, হাঁ করে শ্বাস নেওয়া ইত্যাদি নিরাময়ে সহায়তা করে।
- শ্বাস কষ্ট জনিত হুইজি বা গার্গল জাতীয় শব্দ তৈরি প্রতিরোধে সহায়তা করে।
- অত্যন্ত নিরাপদ ও কোন পার্শ্ব প্রতিক্রিয়া নেই।
- কোনো প্রকার এন্টিবায়োটিক ব্যবহারের প্রয়োজন নেই।

ব্যবহার বিধি:

- ✓ "সুবিতো প্লাস" প্রয়োগের ১২-২৪ ঘন্টার মধ্যে শ্বাস যন্ত্রের সংক্রামন পুরোপুরি নিয়ন্ত্রন না হলে এক চা চামচ পাউডার ২-৩ লিটার বোতলজাত পানির সাথে মিশিয়ে পানির পাত্রে দিয়ে কমপক্ষে ২ বেলা (সকাল ও সন্ধ্যা) ২ দিন ১০০০টি মুরগীর বাচ্চাকে খাওয়াতে হবে। বাকী ঔষধ পরবর্তীতে চিকিৎসকের পরামর্শ অনুযায়ী খাওয়াতে হবে।

Organic Research Food Products Ltd.
Pabna, Bangladesh

চিক রেসপিরেটর

(শ্বাস যন্ত্রের যে কোনো সংক্রামনের একটি জৈব প্রতিকারক)

সতর্কতা:

- ছিপি খোলার এক মাসের মধ্যে ঔষধ ব্যবহার করতে হবে।
- ঠান্ডা ও শুষ্ক স্থানে এবং শিশুদের নাগালের বাহিরে রাখুন।